

ADDENDUM NO. 2

DATE: December 4, 2020
FROM: Village of Villa Park Public Works Department
TO: All Plan Holders
PROJECT: **Harvard Avenue Improvements (Jefferson Park to Plymouth Street)**

The Bidding Documents for the subject project are hereby amended as follows.

CHANGE THE FOLLOWING ITEM(S) IN THE PLANS:

REPLACE:

Replace sheet TYP-1 (sheet 4) with the attachment included with this addendum. A revision has been made to the Hot-Mix Asphalt Mixture Design Requirements table. HMA Binder Course for Class D Patches shall be N50 mix in accordance with the special provision for Class D Patches.

Nothing in this Addendum shall be construed as changing other requirements of the Bidding Documents or the Bid Opening Date. The attached Acknowledgement Form must be filled out and returned with your Bid.

END OF ADDENDUM NO. 2

**ADDENDUM NO. 2
ACKNOWLEDGMENT FORM**

I/We hereby acknowledge receipt of the following documents pertaining to **ADDENDUM No. 2** to the Bidding Documents for the Village of Villa Park's **Harvard Avenue Improvements (Jefferson Park to Plymouth Street)**



Name: _____

Title: _____

Company: _____

Signature: _____


Date: _____



HOT-MIX ASPHALT MIXTURE REQUIREMENTS	
MIXTURE ITEM	AIR VOIDS @ Ndes
ROADWAY PAVEMENT RECONSTRUCTION	
HOT-MIX ASPHALT SURFACE COURSE, MIX "D", IL-9.5 MM, N50, 2"	4% @ 50 GYR
HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50, 4"	4% @ 50 GYR
DRIVEWAYS (RESIDENTIAL)	
HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50 (IL-9.5 MM), 1.5"	4% @ 50 GYR
HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50, 2.5"	4% @ 50 GYR
CLASS D PATCHES (SPECIAL)	
HOT-MIX ASPHALT SURFACE COURSE, MIX "D", IL-9.5 MM, N50, 2"	4% @ 50 GYR
HOT-MIX ASPHALT BINDER COURSE, IL-19.0, 4"	4% @ 50 GYR

- NOTES:
- THE UNIT WEIGHT USED TO CALCULATE ALL HMA SURFACE MIXTURE QUANTITIES IS 112 LBS/SQ YD/IN.
 - THE "AC TYPE" FOR POLYMERIZED HMA MIXES SHALL BE "SBS/SBR PG 76-22" AND FOR NON-POLYMERIZED HMA THE "AC TYPE" SHALL BE "PG 64-22" UNLESS MODIFIED BY DISTRICT ONE SPECIAL PROVISIONS. FOR "PERCENT OF RAP AND RAS" SEE DISTRICT ONE SPECIAL PROVISIONS.

HMA SURFACE DETAIL



LEGEND:

- TRENCH BEDDING AND BACKFILL
- PAVEMENT REMOVAL
- (A) EXISTING PCC PAVEMENT (SEE SOIL BORINGS FOR THICKNESS)
- (B) EXISTING SUBBASE/SUBGRADE (SEE SOIL BORINGS), SEE NOTE 1
- (C) EXISTING CONCRETE SIDEWALK OR SIDEWALK REPLACEMENT (AS DIRECTED BY ENGINEER)
- (D) EXISTING TOPSOIL AND GROUND COVER
- (E) MONOLITHIC CURB AND GUTTER REMOVAL (MEASURED & PAID FOR AS PAVEMENT REMOVAL)
- (F) PARKWAY RESTORATION - SODDING, SALT TOLERANT
- (G) SUB-BASE GRANULAR MATERIAL (CA-6), 4" (INCLUDED IN COST OF PROPOSED CURB & GUTTER)
- (H) PAVEMENT REMOVAL
- (I) HMA SURFACE COURSE, MIX "D", IL-9.5, N50, 2"
- (J) HMA BINDER COURSE, IL-19.0, N50 4"
- (K) AGGREGATE BASE COURSE, TYPE B, 6"
- (L) COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12
- (M) GEOTECHNICAL FABRIC FOR GROUND STABILIZATION
- (N) BITUMINOUS MATERIALS (TACK COAT)

- NOTES:
- THE EXCAVATION OF THE EXISTING ROADWAY SUBBASE/SUBGRADE BENEATH THE EXISTING PCC PAVEMENT AND MONOLITHIC CURB REQUIRED TO INSTALL THE PROPOSED PAVEMENT SECTION AND CURB AND GUTTER SHALL BE MEASURED AND PAID FOR AS EARTH EXCAVATION. ALL OTHER EARTH EXCAVATION SHALL BE INCLUDED IN THE COST OF THE ITEM REQUIRING IT. SEE SPECIAL PROVISIONS FOR MORE INFORMATION.

CHRISTOPHER B. BURKE ENGINEERING, LTD.
9575 W. Higgins Road, Suite 600
Rosemont, Illinois 60018
(847) 823-0500

CLIENT:
 VILLAGE OF VILLA PARK
20 S. Ardmore Ave.
Villa Park, IL 60181-2696

NO.	DATE	NATURE OF REVISION	CHKD.	MODEL:
1	12/4/20	ADDENDUM #2	AJS	aschaefer
FILE NAME	N:\VILLAPARK\140092.00019\CIVIL\HARVARD_SOUTH\TYP_140092_HARV_PLYMOUTH_S_01.SHT			

TITLE:
**HARVARD AVENUE IMPROVEMENTS
JEFFERSON PARK TO PLYMOUTH ST.
TYPICAL SECTIONS**

PROJ. NO. 140092.00019
DATE: 12/1/2020
SHEET 4 OF 22
DRAWING NO.
TYP-1